



Naam Hi Kaafi Hai



Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com

FRLS-H CABLES

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com

- High Temperature resistant
- Safety at 200°C
- 10% Extra Current Carrying Capacity



IS : 694



CM/L-8523072



**Best Class
Insulation**



**99.98% PURE
COPPER**



Size Range :- 0.5mm to 400.0mm

Let the wind
**Show your
Attitude.**

website : www.aerixswitchgears.com


Multicore Round FR Cables

- Multicore Round FR PVC
- Insulated Copper Conductor
- 1100 Voltage Grade

IS : 694



CM/L-8523072



2 Core	3 Core	4 Core	5 Core
6 Core	7 Core	8 Core	10 Core
12 Core	14 Core	16 Core	19 Core



**Best Class
Insulation**



**99.98% PURE
COPPER**





Let the wind
**Show your
Attitude.**

website : www.aerixswitchgears.com

Flat Cables

- ▶ Three Core Flat Cables with PVC Insulation
- ▶ Good Insulation Properties
- ▶ Robust Construction



IS : 694



CM/L-8523072



**Best Class
Insulation**



**99.98% PURE
COPPER**





Size Range :- 1.5mm to 35.0mm

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com

Armoured / Unarmoured Cables

- Extra Current Carrying Capacity
- XLPE Insulation
- FRLSH Sheathing
- Robust Construction



IS : 7098 (Part-1)



**Best Class
Insulation**



**99.98% PURE
Aluminium**




Let the wind
**Show your
Attitude.**

website : www.aerixswitchgears.com

DC / Photovoltaic Cables (Solar)

- Extra Current Carrying Capacity
- Ambient temperature : $-40^{\circ}\text{C} \sim +90^{\circ}\text{C}$
- Thermal Endurance Test (Temp. Index $+120^{\circ}\text{C}$)
- RoHS Compliant



Instrumentation / Control Cables



**Best Class
Insulation**



**99.98% PURE
Copper**




Let the wind
**Show your
Attitude.**

website : www.aerixswitchgears.com

Aerial Bunched Cables

- ▶ XLPE Insulation
- ▶ Proper Phase Indication
- ▶ Lighter in weight
- ▶ Protection against power theft



Cross Sectional view



IS : 14255



**Best Class
Insulation**



**99.98% PURE
Aluminium**



Size Range :- 16.0mm to 95.0mm

Let the wind
**Show your
Attitude.**

website : www.aerixswitchgears.com

MCB (Miniature Circuit Breaker)

- ▶ 10K Breaking Capacity
- ▶ Short Circuit Protection
- ▶ Sliding Shutters



IS/IEC 60898-1



SPN



DP



TP



FP

Available Range: 6A - 63A

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com

ISOLATOR

- XL Terminal Capacity
- Sliding Shutters
- Switch Disconnecter



DP

FP



Available Range: 40A - 100A

Let the wind
**Show your
Attitude.**

website : www.aerixswitchgears.com

RCCB (Residual Current Circuit Breaker)

- ▶ Leakage Protection
- ▶ Test Button for Regular Inspection



IS : 12640 (Part-1)



Let the wind
**Show your
Attitude.**

website : www.aerixswitchgears.com

Distribution Board

- ▶ Easy Installation
- ▶ Door Earthing
- ▶ Dust Prevention
- ▶ IP 65



Product Range :-

1. SPN

2. TPN

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com

PVC Insulation Tapes

- FR Grade
- Strong Adhesion
- Good Elongation




IS : 7809 Part-3 Sec. 1



DECOR 1200MM

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com



3 YEARS WARRANTY

Power Saving
BLDC
TECHNOLOGY



HIGH SPEED



IS - 374

CM/L-8100197011



TECHNICAL SPECIFICATION


MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
5 STAR	1200MM/48"	28 WATT	380	215

FANTOM 1200MM

BLDC

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com



3 YEARS WARRANTY

Power Saving
BLDC
TECHNOLOGY



HIGH SPEED



IS - 374

CM/L-8100197011



TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
5 STAR	1200MM/48"	28 WATT	380	215

Let the wind
Show your
Attitude.


website : www.aerixswitchgears.com

FEATHER

BLDC

CUTTING-EDGE TECHNOLOGY

**Bend and Rust Proof
ABS Body**



3 YEARS WARRANTY

Power Saving
BLDC
TECHNOLOGY



**NOISELESS
OPERATION**



IS - 374
ISI
CM/L-8100197011

TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
FEATHER	1200MM/48"	45 WATT	310	215

COZI 1200MM

BLDC

Let the wind
Show your
Attitude.


website : www.aerixswitchgears.com



IS - 374



CM/L-8100197011



3 YEARS WARRANTY



TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
COZI	1200MM/48"	28 WATT	380	215
COZI +	1200MM/48"	28 WATT	380	215

JAWA 1200MM

BLDC

Let the wind
Show your
Attitude.


website : www.aerixswitchgears.com



IS - 374



CM/L-8100197011



3 YEARS WARRANTY



TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
JAWA	1200MM/48"	28 WATT	380	215

GOLDY

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com

IS - 374



CM/L-8100197011



SMOKE BROWN

METALLIC WINE

IVORY

2 YEARS
WARRANTY



HIGH GRADE
COPPER



NOISELESS
OPERATION



HIGH
SPEED



HIGH AIR
DELIVERY



SUPERIOR
PAINT FINISH



TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
3 STAR	1200MM/48"	43 WATT	380	220

PANORAMA

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com



IS - 374



CM/L-8100197011



HIGH GRADE
COPPER



NOISELESS
OPERATION



HIGH
SPEED



HIGH AIR
DELIVERY



SUPERIOR
PAINT FINISH


TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
PANORAMA	1200MM/48"	43 WATT	380	220

VISTA 1200MM

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com



HIGH GRADE
COPPER



NOISELESS
OPERATION



HIGH
SPEED



HIGH AIR
DELIVERY



SUPERIOR
PAINT FINISH


TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
VISTA	1200MM/48"	43 WATT	380	220

JUPITER

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com



IS - 374



CM/L-8100197011



HYBRID
COPPER



NOISELESS
OPERATION



HIGH
SPEED



HIGH AIR
DELIVERY



SUPERIOR
PAINT FINISH


TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
1 STAR 1200	1200MM/48"	50 WATT	380	210

RACER 1200MM

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com




TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
1 STAR 1200	1200MM/48"	50 WATT	380	210

CIAZ 1200MM

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com



IS - 374



CM/L-8100197011




TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
1 STAR 1200	1200MM/48"	50 WATT	380	210

LAVA 1200MM

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com



IS - 374



CM/L-8100197011



HIGH GRADE
COPPER



NOISELESS
OPERATION



HIGH
SPEED



HIGH AIR
DELIVERY



SUPERIOR
PAINT FINISH


TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
LAVA	1200MM/48"	50 WATT	380	210

REGAL 1200MM

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com



IS - 374



CM/L-8100197011



TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
1 STAR 1200	1200MM/48"	50 WATT	380	210

CIAZ

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com



RACER

SMOKE BROWN



GLOSSY BROWN



IVORY



MATT BROWN



IS - 374



CM/L-8100197011



HYBRID
COPPER



NOISELESS
OPERATION



HIGH
SPEED



HIGH AIR
DELIVERY



SUPERIOR
PAINT FINISH

TECHNICAL SPECIFICATION

MODEL	SWEEP	RATED POWER	RATED SPEED	AIR DELIVERY
1 STAR 600MM	600MM/24"	50 WATT	840	210
1 STAR 600MM	600MM/24"	50 WATT	380	210

let the wind
Show your
Attitude.

website : www.aerixswitchgears.com

LOVELY TABLE *fan*

Features :

- Low Noise
- Fully Balanced Blade
- Heavy and Fast Motor
- Powered by heavy duty motor
- High Velocity Performance
- Strong and Heavy Construction



BLAZE ALL PURPOSE FAN

300MM (12")

Hi-speed Multi Purpose Fan.
Metal Blade With 3 Speed Multi
Purpose Fan.

- Low Noise
- Fully Balanced Blade
- Powered by Heavy duty Motor
- High Velocity Performance
- Strong and Heavy Construction



Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com

Gatimaan
PEDESTAL *fan*

16" (400MM)

1330 RPM

Plastic Blade With 3 Speed Fan.

Features :

- Low Noise
- Fully Balanced Blade
- Powered by Heavy duty Motor
- Strong and Heavy Construction



Neo
PEDESTAL *fan*

16" (400MM)

1330 RPM

4 Speed Fan with Timer

Features :

- Low Noise
- Fully Balanced Blade
- Powered by Heavy duty Motor
- High Velocity Performance
- Strong and Heavy Construction

IS : 302-2-80



CM/L-8100196910



**HYBRID
COPPER**



**NOISELESS
OPERATION**



**HIGH AIR
DELIVERY**

**TORNADO
FARATTA** *fan*

Let the wind
**Show your
Attitude.**

website : www.aerixswitchgears.com

16" (400MM)

2100 RPM

with Oscillation



Features :

- Low Noise
- Fully Balanced Blade
- Powered by Heavy duty Motor
- High Velocity Performance
- Strong and Heavy Construction



**SONIC
JUMBO FARATTA** *fan*


20" (500MM)

1400 RPM

with Oscillation

Features :

- Low Noise
- Fully Balanced Aluminium Blade
- Powered by Heavy duty Motor
- High Velocity Performance
- Strong and Heavy Construction



**HYBRID
COPPER**



**NOISELESS
OPERATION**



**HIGH AIR
DELIVERY**

let the wind
**Show your
Attitude.**

website : www.aerixswitchgears.com

STYLUS *fan*

18" (450MM)

1300 RPM

with Oscillation

Features :

- 4 Speed Function with Zero Vibration
- PVD Coated Aluminum Blade
- Stainless Steel 304 Grade Pipe Column
- Double Ball Bearing Heavy Duty Motor



IS : 302-2-80



CM/L-8100196910



**HYBRID
COPPER**



**NOISELESS
OPERATION**



**HIGH AIR
DELIVERY**

TERMINATOR

fan

18" (450MM)

1400 RPM

with Oscillation

Features :

- 3 Speed Function with Zero Vibration
- Aluminum Blade
- Double Ball Bearing Heavy Duty Motor
- Full Metal Construction



Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com



JAGUAR

fan

16" (400MM)

1300 RPM

with Oscillation

Features :

- Low Noise With Plastic Blade
- Powered By Heavy Duty Motor
- Strong And Heavy Construction

TRENDY

fan

16" (400MM)

1300 RPM

with Oscillation

Features :

- Low Noise With Plastic Blade
- Powered By Heavy Duty Motor
- Strong And Heavy Construction
- 100% Copper Motor



Let the wind
**Show your
Attitude.**

website : www.aerixswitchgears.com

NEXA

VENTILATION FAN

- Low Power Consumption
- Easy Mobility
- Compact Design
- Strong And Heavy Construction
- Elegant Design

Available in :
150mm, 200mm,
250mm



αLPHA

FRESH AIR FAN

- Low Power Consumption
- Easy Mobility
- Compact Design
- Strong And Heavy Construction
- Elegant Design

Available in : 150mm, 225mm, 300mm



VENTO

AXIAL FAN

Let the wind
**Show your
Attitude.**

website : www.aerixswitchgears.com

- Low Power Consumption
- Easy Mobility
- Compact Design
- Strong And Heavy Construction
- Elegant Design



Available in : 100mm, 150mm, 200mm



HYBRID
COPPER



NOISELESS
OPERATION



HIGH AIR
DELIVERY

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com

MAGNUS

550W

MIXER GRINDER 3 JAR

HIGH TORQUE

FASTER GRINDING

FIRM CUSHIONS PADS

STAINLESS STEEL JARS

550 W POWERFUL MOTOR

SWIFT SERVICE



4MATIC

900W

JUICER MIXER GRINDER 2 JAR

- Heavy duty motor, with double ball bearing.
- 900 Watts on maximum load.
- 3 Speed with Rotary action switch.
- Whipper button for momentary motion.
- No Load Speed maximum approx 22000 R.P.M.
- Blender – 1600 ml.
- Dry Grinder – 930 ml.



**HYBRID
COPPER**



**NOISELESS
OPERATION**



**HIGH AIR
DELIVERY**

ALFA

INSTANT WATER HEATER

FEATURES :

- ▶ Shock Proof & Rust Proof
- ▶ Stainless Steel Inner Tank
- ▶ Thermal Cut-out
- ▶ Multi Function Valve
- ▶ Safety First

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com

5Ltr



3Ltr



PERFORMANCE	MODEL	POWER	MIXING FACTOR CLOSED TYPE	CONSUMPTION WATTS	HOT WATER OUTPUT
VOLTAGE AT 220-240 V. AC. 50Hz	ALFA	230V / 50Hz. AC	40 %	3.0 KW	40°C



FUSION

STORAGE WATER HEATER

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com

FEATURES :

- **Shock Proof & Rust Proof**
- **Stainless Steel Inner Tank**
- **Thermal Cut-out**
- **Multi Function Valve**
- **Safety First**

Available in
6, 10, 15, 25, 35, 50 ltrs.



PERFORMANCE	MODEL	POWER	MIXING FACTOR CLOSED TYPE	CONSUMPTION WATTS	HOT WATER OUTPUT	REHEATING TIME CLOSED BY					
						6Ltr.	10Ltr.	15Ltr.	25Ltr.	35Ltr.	50Ltr.
VOLTAGE AT 220-240 V. AC. 50Hz	FIESTA	230V / 50Hz AC	40 %	2.0 / 3.0 KW	40°C	45 min.	55 min.	70 min.	80 min.	90 min.	150 min.



GRACIA

STORAGE WATER HEATER

ABS SERIES

Let the wind
Show your
Attitude.

website : www.aerixswitchgears.com

FEATURES :

- ▶ **Shock Proof & Rust Proof**
- ▶ **Stainless Steel Inner Tank**
- ▶ **Thermal Cut-out**
- ▶ **Multi Function Valve**
- ▶ **Safety First**

Available in
10, 15, 25 ltrs.



PERFORMANCE	MODEL	POWER	MIXING FACTOR CLOSED TYPE	CONSUMPTION WATTS	HOT WATER OUTPUT	REHEATING TIME CLOSED BY					
						6Ltr.	10Ltr.	15Ltr.	25Ltr.	35Ltr.	50Ltr.
VOLTAGE AT 220-240 V. AC. 50Hz	FIESTA	230V / 50Hz. AC	40 %	2.0 / 3.0 KW	40°C	45 min.	55 min.	70 min.	80 min.	90 min.	150 min.



Let the wind
**Show your
Attitude.**

website : www.aerixswitchgears.com

LIGHT / HEAVY WEIGHT IRON

THERMOSTAT
FOR
TEMPERATURE
CONTROL

THERMOSTAT
INDICATOR
LIGHT

SWIVEL CORD
FOR
CONVENIENCE

1
YEAR
WARRANTY

Eestree
ELECTRIC IRON

PERFORMANCE	PRODUCT	WATTAGE
VOLTAGE AT 230V AC, 50Hz	Electric Iron	750

IS:302-2-3



IMMERSION ROD

MAGIC
WATER PROOF
COPPER

Available in : 1000 / 1500 / 2000 wt.

IS:368



SAFETY



IS:302-2-201



GOLD
WATER PROOF
STAINLESS STEEL 304 GRADE
Available in : 1000 / 1500 / 2000 wt.





Vega

- 3 Halogen Heating Elements
- 3 Heating Positions
- Oscillation Function
- Tip-over Safety Switch
- Handle for Portability



Galaxy

- 2 Quartz Heating Elements
- 2 Heating Positions
- Tip-over Safety Switch
- Handle for Portability



Smart

- Instant Heating
- 2 Heating Positions
- Front Safety Grill
- Portable
- Tip-over Safety Switch

Glow

- Instant Heating
- 2 Heating Positions
- Front Safety Grill
- Portable
- Tip-over Safety Switch



Urja

- Instant Heating
- 2 Heating Positions
- Oscillation Function
- Portable
- Tip-over Safety Switch



*Actual Products May Vary in Color, Design, Description, and Color Combination Etc.
Although Every Effort has been Made to Ensure Accuracy in the Compilation of the Technical Detail with in this Publication.
Specification and Performance Data are Constantly Changing.*

Quality Products From

AERIX INDUSTRIES PVT. LTD.

website : www.aerixswitchgears.com

Email : sales@erixswitchgears.com

umeshagarwal69@gmail.com

Customer Care : 011-41838268

IS : 7809 IS : 374 IS : 302-2-60



(Part-3/Sec.1)

IS : 7090

IS : 694

IS : 14255



Part-1

